

## Wood chip screen

Firstgrade's Chipscreen uses a simple rotary motion to provide highly efficient screening of loose products such as woodchips and bark. The 3 way split produces fines, main products and oversize in one pass. Oversize can be conveyed back to the shredder for re-grinding

Two sizes of Chipscreen are available. The 4m x 2m screen has a throughput of up to 100m<sup>3</sup>/hour, and the 5 x 2.5m screen has throughput of 150m<sup>3</sup>/hour.

### features

- High throughput
- Rotary motion
- Fully balanced vibration
- Efficient screening

### options

- Screen size
- 3 or 4 way split
- Automatic greasing

### applications


- Wood-waste
- Bark
- Mulch
- Animal bedding
- Playground chips

### design, build and install

All of Firstgrade's recycling machinery is designed and built here in the UK, using the latest Computer Aided Design Technology. This, together with our engineering expertise, gives us the flexibility to produce high specification systems to suit individual requirements.

### other products

- Elevators & conveyors
- Picking stations
- Trommel screens
- Bagging Lines



Model 2040

1 = Fines 2 = Mid-size 3 = Oversize Discharge



Firstgrade Recycling Systems Ltd  
 Unit 2, Crossways  
 Cockfield  
 Bury St Edmunds  
 Suffolk IP30 0LN  
 England

t 0844 800 9357  
 f 0844 800 7714  
 e sales@first-grade.co.uk  
 w www.first-grade.co.uk